K

Notice of Allowability	Application No.	Applicant(s)		
	09/697,121	KAWAMURA, TA	KAWAMURA, TATSUROU	
	Examiner	Art Unit		
	Samuel P Siefke	1743		
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT F of the Office or upon petition by the applicant. See 37 CFR 1.31	6 (OR REMAINS) CLOSED i) or other appropriate comm RIGHTS. This application is	n this application. If not incl unication will be mailed in d	luded lue course. THIS	
1. This communication is responsive to Interview 2/11/04.				
2. 🔀 The allowed claim(s) is/are <u>1,3-6 and 9-12</u> .				
3. $igotimes$ The drawings filed on <u>27 October 2000</u> are accepted by the	ne Examiner.			
4. Acknowledgment is made of a claim for foreign priority u a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents hav 2. ☐ Certified copies of the priority documents hav 3. ☐ Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONI	e been received e been received in Application cuments have been receive of this communication to file	on No ed in this national stage app		
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subr INFORMAL PATENT APPLICATION (PTO-152) which gives	nitted. Note the attached EX		or NOTICE OF	
 CORRECTED DRAWINGS (as "replacement sheets") mu (a) ☐ including changes required by the Notice of Draftsper 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner Paper No./Mail Date 	son's Patent Drawing Revie			
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in			the back) of	
 DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT 	osit of BIOLOGICAL MAT FOR THE DEPOSIT OF BI	ERIAL must be submitte OLOGICAL MATERIAL.	d. Note the	
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☑ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date 4. ☑ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. 🖎 Interview S Paper No 708), 7. ⊠ Examiner's	nformal Patent Application (Summary (PTO-413), ./Mail Date <u>whater</u> s Amendment/Comment s Statement of Reasons for —·		

Art Unit: 1743

EXAMINER'S AMENDMENT

An extension of time under 37 CFR 1.136(a) is required in order to make an examiner's amendment which places this application in condition for allowance. During a telephone conversation conducted on February 11, 2004, Ramyar Farid requested an extension of time for 3 MONTH(S) and authorized the Director to charge Deposit Account No. 500417 the required fee of \$890.00 for this extension and authorized the following examiner's amendment. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Ramyar Farid on February 11, 2004.

The application has been amended as follows:

Art Unit: 1743

1. (Currently amended) A method for measuring a concentration of solution comprising the steps of:

measuring [[a]] transmitted light intensities and [[/or a]] scattered light intensities of a solution to be detected containing a specific component before and after mixing a reagent, which changes the optical characteristics of said solution to be detected attributed to said specific component; and

determining the concentration of said specific component in said solution to be detected on the basis of these measured values, wherein the concentration of said specific component in said solution to be detected in a low concentration region is determined from the measured values of the scattered light intensities before and after the mixing of said reagent, and the concentration of said specific component in said solution to be detected in a high concentration region is determined from the measured values of the transmitted light intensities before and after the mixing of said reagent.

- 2. (Canceled)
- 3. (Currently amended) [[The]] A method for measuring a concentration of solution in accordance with claim-1 comprising the steps of:

measuring transmitted light intensities and scattered light intensities of a solution to be detected containing a specific component before and after mixing a reagent, which changes the optical characteristics of said solution to be detected attributed to said specific component; and

Art Unit: 1743

determining the concentration of said specific component in said solution to be detected on the basis of these measured values.

wherein said transmitted light intensities and said scattered light intensities are measured, and the measured values of the transmitted light intensities before and after the mixing of said reagent are compared with the measured values of the scattered light intensities before and after the mixing of said reagent, thereby to detect the occurrence or non-occurrence of a false measurement due to a particle suspending in said solution to be detected.

- 4. (Currently amended) The method for measuring a concentration of solution in accordance with claim [[2]] 1, wherein at least one of the transmitted light intensities and the scattered light intensities before and after the mixing of said reagent is measured under the same condition for a standard solution with a known concentration and said solution to be detected, and the measured values of said solution to be detected are corrected by the measured values of said standard solution to determine the concentration of said specific component in said solution to be detected
- 5. (Original) The method for measuring a concentration of solution in accordance with claim 4, wherein said standard solution is water not containing said specific component.
- 6. (Currently amended) A method for measuring a concentration of solution, comprising the steps of:

Art Unit: 1743

determining the protein concentration of said solution to be detected with said method for measuring a concentration of solution in accordance with claim 1;

measuring transmitted light intensities and/or scattered light intensities of the solution to be detected containing a protein before and after mixing a reagent, which changes the optical characteristics of said solution to be detected attributed to said protein;

determining the concentration of said protein in said solution to be detected on the basis of these measured values;

determining a concentration of an optical active substance in said solution to be detected by measuring the optical rotation of said solution to be detected before the mixing of said reagent; and then

determining the concentration of the optical active substance other than said protein from said protein concentration and said optical rotation.

7-8. (Canceled)

9. (Currently amended) A method for measuring a concentration of solution comprising the steps of:

measuring a transmitted light <u>intensity</u> intensities and a scattered light intensities <u>intensity</u> of a solution to be detected containing a specific component after mixing a reagent, which changes the optical characteristics of said solution to be detected attributed to said specific component; and

Art Unit: 1743

determining the concentration of said specific component in said solution to be detected on the basis of these measured values,

wherein the concentration of said specific component in said solution to be detected in a low concentration region is determined from the measured [[values]] value of the scattered light intensity intensities after the mixing of said reagent, and the concentration of said specific component in said solution to be detected in a high concentration region is determined from the measured [[values]] value of the transmitted light intensity intensities after the mixing of said reagent.

10. (Currently amended) A method for measuring a concentration of solution comprising the steps of:

measuring a transmitted light <u>intensity</u> intensities and a scattered light <u>intensity</u> intensities of a solution to be detected containing a specific component after mixing a reagent, which changes the optical characteristics of said solution to be detected attributed to said specific component; and

determining the concentration of said specific component in said solution to be detected on the basis of these measured values,

wherein the measured [[values]] <u>value</u> of the transmitted light <u>intensity</u> intensities after the mixing of said reagent [[are]] <u>is</u> compared with the measured [[values]] <u>value</u> of the scattered light <u>intensity</u> intensities after the mixing of said reagent, thereby to detect the occurrence or non-occurrence of a false measurement due to a particle suspending in said solution to be detected.

Art Unit: 1743

11. (Currently amended) [[A]] <u>The</u> method for measuring a concentration of solution in accordance with claim 9, comprising the steps of:

measuring a transmitted light intensities and/or a scattered light intensities of a solution to be detected containing a specific component after mixing a reagent, which changes the optical characteristics of said solution to be detected attributed to said specific component; and

determining the concentration of said specific component in said solution to be detected on the basis of these measured values,

wherein at least one of the transmitted light <u>intensity</u> intensities and the scattered light <u>intensity</u> intensities after the mixing of said reagent is measured under the same condition for a standard solution with a known concentration and said solution to be detected, and the measured values of said solution to be detected are corrected by the measured values of said standard solution to determine the concentration of said specific component in said solution to be detected.

12. (Currently amended) A method for measuring a concentration of solution comprising the steps of:

measuring a transmitted light <u>intensity</u> intensities and/or a scattered light <u>intensity</u> intensities of a solution to be detected containing a protein after mixing a reagent, which changes the optical characteristics of said solution to be detected attributed to said protein;

determining the concentration of said protein in said solution to be detected on the basis of these measured values;

Art Unit: 1743

determining a concentration of an optical active substance other than said protein in said solution to be detected by measuring the optical rotation of said solution to be detected before the mixing of said reagent; and then

determining the concentration of the optical active substance other than said protein from said protein concentration and said optical rotation.

Art Unit: 1743

Allowable Subject Matter

Claims **1,3,4-6, 9-12** are allowed.

The following is an examiner's statement of reasons for allowance: Claim 1 is allowable because the prior art does not teach or fairly suggest measuring transmitted light intensities and scattered light intensities of a solution to be detected containing a specific component before and after mixing a reagent where transmitted light intensities are used to detect components of a high concentration region in a solution and the scattered light intensities are used to detect components of a low concentration region in a solution. Claim 3 is allowed because the prior art does not teach or fairly suggest comparing the before and after mixing reagent intensities of the transmitted light and the scattered light. Claim 6 and 12 are allowed because the prior art does not teach or fairly suggest determining the concentration of a solution before and after a reagent is mixed using optical rotation of said solution to be detected. Claim 10 is allowed because the prior art does not teach or fairly suggest detecting the occurrence or nonoccurrence of a false measurement due to a particle suspending in a solution to be detected. Claim 11 is allowed because the prior art does not teach or fairly suggest measured values of a said solution to be detected are corrected by the measured values of the said standard solution to be determine the concentration of said specific component in said solution to be detected.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Art Unit: 1743

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Samuel P Siefke whose telephone number is 571-272-

1262. The examiner can normally be reached on M-F 7:00am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Jill A. Warden can be reached on 703-308-4037. The fax phone number for

the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Sam P. Siefke

February 17, 2004

Jill Warden
Supervisory Patent Examiner
Technology Center 1700

Page 10